


Appl. No. 10/662,644  
 Atty. Docket No. 8170XR  
 Amdt. Dated September 15, 2005  
 Reply to Office Action of September 7, 2005  
 Customer No. 27752

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

#### Listing of Claims:

1. (Currently amended) A composition comprising a compound of formula I:



Wherein:

- a.) m is an integer from 0 to 3;
- b.) t is an integer from 0 to 4;
- c.) a is 0 or 1;
- d.) b is 0 or 1;
- e.) g is 0 or 1;
- f.) R<sup>1</sup> for said radical is independently selected from the group consisting of:
  - i) H;
  - ii) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl;
  - iii) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkenyl;
  - iv) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkynyl;
  - v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
  - vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
  - vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
  - viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
  - ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl;

Appl. No. 10/662,644  
 Atty. Docket No. 8170XR  
 Amdt. Dated September 15, 2005  
 Reply to Office Action of September 7, 2005  
 Customer No. 27752

- x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof; and
  - xi) a suitable charge balancing counterion (M<sup>n+</sup>)<sub>1/m</sub>, provided a and b are both 1 and X is selected from O and S;
  - xii) when a, b and g are all 0 for any single radical, R<sup>1</sup>-(X)<sub>a</sub>-(T)<sub>b</sub>-(X')<sub>g</sub>, R<sup>1</sup> for said radical may be further selected from the group consisting of CN, an amine oxide moiety, NO<sub>2</sub> and mixtures thereof;
- g.) X and X', when present, are selected from O, S, and NR<sup>2</sup>;
- h.) each R<sup>2</sup> is independently selected from the group consisting of:
- i) H;
  - ii) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl;
  - iii) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkenyl;
  - iv) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkynyl;
  - v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
  - vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
  - vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
  - viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
  - ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl; and
  - x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof;
- i.) T, when present, is selected from C=O, C=S, S=O, and SO<sub>2</sub>; when T is S=O or SO<sub>2</sub>, X and X' associated with said T may not be S;
- j.) G is:
- i) H;
  - ii) a suitable charge balancing counterion (M<sup>n+</sup>)<sub>1/m</sub>, or
  - iii) a cleaveable group selected from the group consisting of Si((O)<sub>p</sub>R<sup>3</sup>)<sub>3</sub>, where p is independently 0 or 1; C(O)<sub>q</sub>((O)<sub>r</sub>R<sup>3</sup>)<sub>r</sub>, wherein p is independently 0 or 1 and when q is 1, r is 1, and when q is 0, r is 3; R<sup>3</sup> is independently selected from the group consisting of C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or

Appl. No. 10/662,644  
Atty. Docket No. 8170XR  
Amdt. Dated September 15, 2005  
Reply to Office Action of September 7, 2005  
Customer No. 27752

unsubstituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl,  
alkaryl, aralkyl, and aryl, and mixtures thereof  
provided that when, for any radical, b is 0, a, g, or a and g are 0 for said radical;  
said composition comprising an enzyme.

2. (Currently amended) The composition of Claim 1 further comprising at least one additional component selected from the group consisting of:


- a) a surfactant wherein either:
  - (i) the ratio of the weight of the surfactant divided by the weight of the substituted salicylanilide compound of formula I is greater than or equal to 1.0 and further provided that the surfactant is 1 wt% or greater of the composition; or
  - (ii) the composition comprises at least 1 wt% of a cationic surfactant, wherein the ratio of the weight of the surfactant divided by the weight of said compound I is greater than or equal to 1.0; and wherein a 10 wt% aqueous solution of this composition has a pH less than or equal to 7.0;
- b) from 0.5% to 90% by weight of a solvent said solvent having Hildebrand solubility parameter  $d_s$  (cal/cm<sup>3</sup>)<sup>1/2</sup> meeting the following criterion:  $5 < d_s < 20$ , wherein a 10 wt% aqueous solution of this composition has a  $pH \geq (pK_a - 1)$  where  $pK_a$  is the calculated  $pK_a$  of the O-G phenol of formula I, or when G is not H, the  $pK_a$  of the O-G phenol of formula I that results from replacing G with H;
- c) a perfume having a C log P greater than or equal to 2.0; and
- d) mixtures thereof ~~0.001 to 1.0% by weight of an enzyme~~; and
- e) ~~0.001 to 1.0% by weight of an enzyme mixtures thereof.~~

3. (Original) The composition of Claim 2 wherein the enzyme is selected from the group consisting of: proteases, amylases, cellulases, mannanases, xyloglucanases, pectinases, lipases, laccases, peroxidases and mixtures thereof.

4. (Original) The composition of Claim 2 wherein the composition comprises at least two of said additional components.

5. (Currently amended) A method of reducing bacteria or inhibiting bacterial growth comprising contacting a substrate comprising a textile with ~~the composition of Claim 1~~ a compound of formula I:

Appl. No. 10/662,644  
 Atty. Docket No. 8170XR  
 Amdt. Dated September 15, 2005  
 Reply to Office Action of September 7, 2005  
 Customer No. 27752



Wherein:

- a.) m is an integer from 0 to 3;
- b.) t is an integer from 0 to 4;
- c.) a is 0 or 1;
- d.) b is 0 or 1;
- e.) g is 0 or 1;
- f.) R<sup>1</sup> for said radical is independently selected from the group consisting of:
  - i) H;
  - ii) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl;
  - iii) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkenyl;
  - iv) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkynyl;
  - v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
  - vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
  - vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
  - viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
  - ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl;
  - x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof; and
  - xi) a suitable charge balancing counterion (M<sup>n+</sup>)<sub>1/m</sub>, provided a and b are both 1 and X is selected from O and S;
  - xii) when a, b and g are all 0 for any single radical, R<sup>1</sup>-(X)<sub>a</sub>-(T)<sub>b</sub>-(X')<sub>g</sub>, R<sup>1</sup> for said radical may be further selected from the group consisting of CN, an amine oxide moiety, NO<sub>2</sub> and mixtures thereof;

Appl. No. 10/662,644  
 Atty. Docket No. 8170XR  
 Amtd. Dated September 15, 2005  
 Reply to Office Action of September 7, 2005  
 Customer No. 27752

g.) X and X', when present, are selected from O, S, and NR<sup>2</sup>;

h.) each R<sup>2</sup> is independently selected from the group consisting of:

- i) H;
- ii) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl;
- iii) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkenyl;
- iv) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkynyl;
- v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
- vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
- vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
- viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
- ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl; and
- x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof;

i.) T, when present, is selected from C=O, C=S, S=O, and SO<sub>2</sub>; when T is S=O or SO<sub>2</sub>, X and X' associated with said T may not be S;

j.) G is:

- i) H;
- ii) a suitable charge balancing counterion (M<sup>n+</sup>)<sub>1/m</sub>, or
- iii) a cleaveable group selected from the group consisting of Si((O)<sub>p</sub>R<sup>3</sup>)<sub>3</sub>, where p is independently 0 or 1; C(O)<sub>q</sub>((O)<sub>p</sub>R<sup>3</sup>)<sub>r</sub>, wherein p is independently 0 or 1 and when q is 1, r is 1, and when q is 0, r is 3; R<sup>3</sup> is independently selected from the group consisting of C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, alkaryl, aralkyl, and aryl, and mixtures thereof

provided that when, for any radical, b is 0, a, g, or a and g are 0 for said radical.

6. (Original) A substrate treated according to the method of Claim 5.


7. (Original) A liquid detergent comprising the composition of Claim 1.

Appl. No. 10/662,644  
 Atty. Docket No. 8170XR  
 Arndt. Dated September 15, 2005  
 Reply to Office Action of September 7, 2005  
 Customer No. 27752


8. (Original) The composition of Claim 2 wherein m is 0 or 1; t is 0 or 1; a, b and g are all 0; G is H and R<sup>1</sup>, when present, is not H.

9. (Original) The composition of Claim 8 wherein said compound is selected from the group consisting of:

A)



B)



C) mixtures thereof


wherein R<sup>2</sup> is selected from the group consisting of:

- i) H;
- ii) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl;
- iii) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkenyl;
- iv) C<sub>2</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkynyl;
- v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
- vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
- vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
- viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
- ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl; and
- x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof.


Appl. No. 10/662,644  
Atty. Docket No. 8170XR  
Amdt. Dated September 15, 2005  
Reply to Office Action of September 7, 2005  
Customer No. 27752

10. (Original) The composition of Claim 9 wherein  $R^2$  is selected from the group consisting of:
- a.)  $C_1$ - $C_{16}$  linear or branched, substituted or unsubstituted alkyl; and
  - b.)  $C_6$ - $C_{16}$  substituted or unsubstituted aryl.
11. (Original) The composition of Claim 2, wherein m is 0 or 1; t is 0 or 1; and G is H
12. (Original) The composition of Claim 11, wherein t is 0.
13. (Original) The composition of Claim 12, wherein all a, b and g are 0.
14. (Original) The composition of Claim 13, wherein m is 0.
15. (Currently amended) A composition according to Claim 1 wherein said compound is selected from:

A)



B)



C) mixtures thereof;

wherein  $R^2$  is selected from the group consisting of:

- i) H;
- ii)  $C_1$ - $C_{16}$  linear or branched, substituted or unsubstituted alkyl;
- iii)  $C_2$ - $C_{16}$  linear or branched, substituted or unsubstituted alkenyl;
- iv)  $C_2$ - $C_{16}$  linear or branched, substituted or unsubstituted alkynyl;

Appl. No. 10/662,644  
Atty. Docket No. 8170XR  
Amdt. Dated September 15, 2005  
Reply to Office Action of September 7, 2005  
Customer No. 27752

- v) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkyl;
- vi) C<sub>3</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted cycloalkenyl;
- vii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkaryl;
- viii) C<sub>7</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted aralkyl;
- ix) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl; and
- x) C<sub>5</sub>-C<sub>20</sub> heteroaryl units comprising one or more heteroatoms selected

from the group consisting of nitrogen, oxygen, sulfur, and mixtures thereof; and  
G is H, a suitable charge balancing counterion (M<sup>nt</sup>)<sub>1/n</sub>, or a cleaveable group selected  
from the group consisting of Si((O)<sub>p</sub>R<sup>3</sup>)<sub>3</sub>, where p is independently 0 or 1; C(O)<sub>q</sub>((O)<sub>r</sub>R<sup>3</sup>)<sub>n</sub>,  
wherein p is independently 0 or 1 and when q is 1, r is 1, and when q is 0, r is 3; R<sup>3</sup> is  
independently selected from the group consisting of C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted  
or unsubstituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, alkaryl, aralkyl, and  
aryl, and mixtures thereof.

16. (Currently amended) The composition of Claim 15 wherein for said compound of Claim  
15, wherein R<sup>2</sup> is selected from the group consisting of:

- a.) C<sub>1</sub>-C<sub>16</sub> linear or branched, substituted or unsubstituted alkyl; and
- b.) C<sub>6</sub>-C<sub>16</sub> substituted or unsubstituted aryl.

17. (Currently amended) The composition of Claim 16 wherein for said compound of Claim  
16, wherein R<sup>2</sup> is selected from the group consisting of:

- a.) C<sub>5</sub>-C<sub>11</sub> linear or branched, substituted or unsubstituted alkyl; and
- b.) C<sub>6</sub>-C<sub>14</sub> substituted or unsubstituted aryl.

18. (Withdrawn) A method of synthesizing a 5-acyl substituted salicylamide comprising the  
step of moving the attachment point of an acyl group, said acyl group being attached to the  
phenolic oxygen atom at position 2 of a salicylamide, from said phenolic oxygen atom to the  
carbon atom at the 5 position of said salicylamide.

19. (Withdrawn) The method of Claim 18 wherein moving said acyl group comprises the  
step of contacting the salicylamide having the acyl group attached to the phenolic oxygen atom at  
position 2 of said salicylamide with a Lewis acid.

20. (Withdrawn) The method of Claim 19 wherein said moving step is performed in the  
presence of a solvent.